

Author Index

- Adams L.G., *see* Estes D.M.
 Amorim A., *see* Ferrand N.
 Andersson L., Danell B. & Rendel J.: Associations between blood groups, blood protein polymorphisms and breeding values for production traits in Swedish Red and White Dairy bulls, 361
see also Lundén A.
 Archibald A.L. & Cowper A.E.: Two *TaqI* RFLPs at the porcine pancreatic phospholipase A2 locus (PPLA2), 93
 Arnold I.C.J. & Bouw J.: Linkage between genes for coat colour and for blood plasma esterase in dogs, 149
see also Yerle M.
 Aston W.P., *see* Tabel H.

 Beebout J., *see* Bowling A.T.
 Bell K., *see* Patterson S.D.
 Bergerson O.: An *AluI* polymorphism near the 5' end of the goat ϵ^{IV} globin gene, 339
see also Nesse L.L.
 Bobák P., *see* Stratil A.
 Bohlmeier D.A. & Gold J.R.: Extensive polymorphism at adenosine deaminase in the marine fish *Sciaenops ocellatus* (L.), 211
 Bouquet Y., *see* Coppieters W.
see also Georges M.
see also Varewyck H.
 Bouw J., *see* Arnold I.C.J.
 Bowling A.T. & Dileanis S.: Population data and a fourth allele for equine complement component 3 (C3), 83
 Bowling A.T., Gordon L., Penedo M.C.T., Wictum E. & Beebout J.: A single gel for determining genetic variants of equine erythrocyte carbonic anhydrase (CA) and catalase (Cat), 191
 Braend M., *see* Nesse L.L.
see also Schmid D.O.
 Briles R.W., *see* Fulton J.E.
 Buchanan F.C., *see* Crawford A.M.

 Cahaner A., *see* Dunnington E.A.
 Capparelli R., Del Sorbo G. & Iannelli D.: Identification of goat allotypic determinants and generation of goat-mouse hybridomas secreting goat IgG2, 171
 Chardon P., *see* Geffrotin C.
 Čížová D., *see* Stratil A.
 Coppieters W., Van de Weghe A., Depicker A., Bouquet Y. & Van Zeven A.: A hypervariable pig DNA fragment, 29
 Cowper A.E., *see* Archibald A.L.
 Crawford A.M., Buchanan F.C. & Swarbrick P.A.: Ovine dinucleotide repeat polymorphism at the MAF18 locus, 433

 Da Silva B.T.F., *see* Schneider H.
 Dalens M., *see* Yerle M.
 Damiani G., Ferretti L., Rognoni G. & Sgaramea V.: Restriction fragment length polymorphism analysis of the κ -casein locus in cattle, 107
 Danell B., *see* Andersson-Eklund L.
see also Lundén A.
 de Andres-Cara D.F., *see* Geffrotin C.
 Del Sorbo G., *see* Capparelli R.
 Denicourt D., Sabour M.P. & McAllister A.J.: Detection of bovine κ -casein genomic variants by the polymerase chain reaction method, 215
 Depicker A., *see* Coppieters W.
 Dileanis S., *see* Bowling A.T.
 Dixon S.C., *see* Kilgour L.
 Duffy J.H., *see* Rothel J.S.
 Dunham P.B., *see* Georgiadis N.
 Dunnington E.A., Gal O., Plotsky Y., Habersfeld A., Kirk T., Goldberg A., Lavi U., Cahaner A., Siegel P.B. & Hillel J.: DNA fingerprints of chickens selected for high and low body weight for 31 generations, 247

 Edfors-Lilja I., *see* Lundén A.
 Eide D.M., *see* Nesse L.L.
 Ek N., *see* Schmid D.O.
 Estes D.M., Templeton J.W. & Adams L.G.: Monoclonal antibodies to the bovine immunoglobulin G2a allotypes A1 and A2, 181

 Feil R., *see* Geffrotin C.
 Ferguson A., *see* Taggart J.B.
 Ferrand N. & Amorim A.: Genetic polymorphism of δ -aminolaevulinic acid dehydratase (E.C.4.2.1.24, ALAD) in the domestic rabbit, 217
 Ferretti L., *see* Damiani G.
 François D., *see* Grosclaude F.
 Fulton J.E., Briles R.W. & Lamont S.J.: Monoclonal antibody differentiates chicken A system alloantigens, 39
 Fulton J.E., Briles R.W. & Lamont S.J.: Chicken A blood groups system antigens: molecular characteristics and lack of expression on lymphocytes, 401
 Fulton J.E., Hall V.J. & Lamont S.J.: Ontogeny and expression of chicken A blood group antigens, 47

 Gábrisová E., *see* Stratil A.
 Gaillard C., *see* Gautschi C.
 Gal O., *see* Dunnington E.A.
 Galimov I.R., *see* Stratil A.
 Gandini G.C., *see* Zanotti Casati M.
 Gautschi C. & Gaillard C.: Influence of major histocompatibility complex on reproduction and production traits in swine, 161

- Geffrotin C., Chardon P., de Andres-Cara D.F., Feil R., Renard C. & Vaiman M.: The swine steroid 21-hydroxylase gene (CYP21): cloning and mapping within the swine leucocyte antigen complex, 1
- Gellin J., Yerle M. & Gillois M.: Assignment of nucleoside phosphorylase gene to q2.1→q2.2 region of chromosome 7 in the pig, *Sus scrofa domestica* L., 207
see also Yerle M.
- Georges M., Lathrop M., Bouquet Y., Marcotte A., Schwes A., Roupain J., Vassart G. & Hanset R.: Linkage relationships among 20 genetic markers in cattle. Evidence for linkage between two pairs of blood group systems: B-Z and S-F/V respectively, 95
- Georgiadis N. & Dunham P.B.: The HK/LK polymorphism of erythrocyte cation content in two wild species of East African bovines: demonstrated in wildebeest but not in African buffalo, 199
- Gillois M., see Gellin J.
- Glasnák V., see Kaláb P.
see also Stratil A.
- Glass E.J., Oliver R.A. & Spooner R.L.: Variation in T cell responses to ovalbumin in cattle: evidence for Ir gene control, 15
- Goddeeris B.M.: A bovine class I major histocompatibility complex molecule plus a *Theileria parva* antigen resembles mouse H-2K^d, 323
- Golf J.R. & Richardson L.R.: Restriction site heteroplasmy in the mitochondrial DNA of the marine fish *Sciaenops ocellatus* (L.), 313
see also Bohlmeier D.A.
- Goldberg A., see Dunnington E.A.
- Gordon L., see Bowling A.T.
- Groat H.J., see Tabel H.
- Grosclaude F., François D. & Wimitzky M.: Evidence for absence of linkage between the B and Z as well as between the F and S systems of cattle blood groups, 427
- Haberfeld A., see Dunnington E.A.
- Hall V.J., see Fulton J.E.
- Hanset R., see Georges M.
- Herzog S.: Genetic analysis of erythrocyte superoxide dismutase polymorphism in the genus *Cervus*, 391
- Hilbert P., see Georges M.
- Hillel J., see Dunnington E.A.
- Hines H.C. & Larsen B.: Evidence against linkage between two pairs of bovine blood group loci: B-Z and F-S
- Hojný J., see Stratil A.
- Hradecký J., see Stratil A.
- Iannelli D., see Capparelli R.
- Jamieson A.: A survey of transferrins in 87 teleostean species, 295
see also Teixeira A.S.
- Kaláb P., Stratil A. & Glasnák V.: Genetic polymorphism of serum vitamin D-binding protein (GC) in sheep and mouflon, 317
see also Stratil A.
- Kemp S.J., Tucker E.M. & Teale A.J.: A bovine monoclonal antibody detecting a class I BoLA antigen, 153
- Kilgour L., Dixon S.C. & Tucker E.M.: Two new sheep haemoglobins, one of which is replaced by haemoglobin C in anaemia, 115
- Kirk T., see Dunnington E.A.
- Koopman M., see Miller J.R.
- Kraay G.J., see Tabel H.
- Kristensen B., see Varewyck H.
- Lamont S.J., see Fulton J.E.
- Larsen B., see Hines H.C.
- Lathrop M., see Georges M.
- Lavi U., see Dunnington E.A.
- Leone P., see Zanotti Casati M.
- Leroux C., Martin P., Mahe M.-F., Levéziel H. & Mercier J.-C.: Restriction fragment length polymorphism identification of goat α_{s1} -casein alleles: a potential tool in selection of individuals carrying alleles associated with a high level protein synthesis, 341
- Levéziel H., see Leroux C.
- Lundén A., Sigurdardóttir S., Edfors-Lilja I., Danell B., Rendel J. & Andersson L.: The relationship between bovine major histocompatibility complex class II polymorphism and disease studied by use of bull breeding values, 221
see also Sigurdardóttir S.
- McAllister A.J., see Denicourt D.
- Mackie J.T. & Stear M.J.: The definition of five B lymphocyte alloantigens closely linked to BoLA class I antigens, 69
- Mahé M.-F., see Leroux C.
- Manton V.J.A., see Patterson S.D.
- Marcotte A., see Georges M.
- Martin P., see Leroux C.
- Mercier J.-C., see Leroux C.
- Miller J.R. & Koopman M.: Isolation and characterization of two male-specific DNA fragments from the bovine gene, 77
- Muggli-Cockett N.E., see Stone R.T.
- Nesse L.L.: Erythrocyte antigens in Norwegian goats: serological and genetic studies, 303
- Nesse L.L., Bergersen O., Eide D.M. & Braend M.: Linkage studies on erythrocyte antigen loci, the major histocompatibility complex and the haemoglobin beta gene cluster in goats, 329
- Nguyen T.C.: Genetic systems of red cell blood groups in goats, 233

- Oliver R.A., *see* Glass R.J.
- Patterson S.D., Bell K. & Manton V.J.A.: *Equus przewalskii* plasma protease inhibitor (Pi) system, 129
- Penedo M.C.T., *see* Bowling A.T.
- Plotsky Y., *see* Dunnington E.A.
- Raposo J.C.P., *see* Teixeira A.S.
- Renard C., *see* Geffrotin C.
see also Varewyck H.
- Rendel J.: Obituary: Professor Bo Gahne, Number 3, i
see also Andersson-Eklund L.
see also Lundén A.
- Richardson L.R., *see* Golf J.R.
- Rognoni G., *see* Damiani G.
- Rothel J.S., Dufty J.H. & Wood P.R.: Studies on the bovine major histocompatibility class I and class II antigens using homozygous typing cells and antigen-specific BoT4⁺ blast cells, 141
- Roupain J., *see* Georges M.
- Rozhkov Yu. I. & Galimov I.R.: Salivary gland amylase polymorphism in pigs and cattle detected by affinity electrophoresis, 277
- Sabour M.P., *see* Denicourt D.
- Salzano F.M., *see* Schneider H.
- Schmid D.A., Ek N. & Braend M.: Further evidence for a silent allele in the transferrin locus of the horse, 423
- Schneider H., Schneider M.P.C., da Silva B.T.F. & Salzano F.M.: Transferrin and albumin polymorphisms in buffaloes from Brazil, 335
- Schneider M.P.C., *see* Schneider H.
- Schwens A., *see* Georges M.
- Sgaramella V., *see* Damiani G.
- Siegel P.B., *see* Dunnington E.A.
- Sigurdardóttir S., Lundén A. & Andersson L.: Restriction fragment length polymorphism of bovine lysozyme genes, 259
see also Lundén A.
- Spooner R.L., *see* Glass E.J.
- Stear M.J., *see* Mackie M.J.
- Stone R.T. & Mugli-Cockett N.E.: Partial nucleotide sequence of a novel bovine major histocompatibility complex class II β -chain gene, BoLA-D IB, 353
- Stratil A., Čížová D., Hojný J. & Hradecký J.: Polymorphism of pig serum α -protease inhibitor-3 (PI3) and assignment of the locus to the *Pil*, *Po1A*, *Po1B*, *Pi2*, *Igh* linkage group, 267
- Stratil A., Glasnák V., Bobák P., Čížová D., Gábríšová E. & Kaláb P.: Variation of some serum proteins in red deer, *Cervus elaphus* L., 285
see also Kaláb P.
- Swarbrick P.A., *see* Crawford A.M.
- Tabel H., Groat H.J., Kraay G.J. & Aston W.P.: Genetic polymorphisms of complement factor H in cattle, 123
- Taggart J.B. & Ferguson A.: Minisatellite DNA fingerprints of salmonid fishes, 377
- Teale A.J., *see* Kemp S.J.
- Teixeira A.S., Raposo J.C.P. & Jamieson A.: Transferrin variation in jaraquis, *Semaprochilodus taeniurus* and *S. insignis* in the Amazon region, 419
- Templeton J.W., *see* Estes D.M.
- Tucker E.M., *see* Kemp S.J.
see also Kilgour L.
- Vaiman M., *see* Geffrotin C.
see also Varewyck H.
- Van de Weghe A., *see* Coppieters W.
see also Varewyck H.
- Van Zeveren A., *see* Coppieters W.
see also Varewyck H.
- Varewyck H., Renard C., Kristensen B., Bouquet Y., Vaiman M., Van de Weghe A. & Van Zeveren A.: Swine lymphocyte alloantigens (SLA) class I serology and genetics in Belgium Landrace and Pietrain breeds, 59
- Vassart G., *see* Georges M.
- Wictum E., *see* Bowling A.T.
- Wimitzky M., *see* Grosclaude F.
- Wood P.R., *see* Rothel J.S.
- Yerle M., Archibald A.L., Dalens M. & Gellin J.: Localization of the PGD and TGF β -1 loci to pig chromosome 6q, 411
see also Gellin J.
- Zanotti Casati M., Gandini G.C. & Leone P.: Genetic variation and distances of five Italian native sheep breeds, 87

Subject Index

- Adenosine deaminase, polymorphism, fish, 211
ALAD, polymorphism, 217
Albumin, buffalo, 335
Allele:
 frequency, 419
 silent, 423
Alloantigens:
 cattle, 69
 chicken, 39
 pig, 59
Allotypes:
 cattle, 181
 goat-mouse hybridomas, 171
Amylase, polymorphism, pig, 277
Anaemia, Hb variant, sheep, 115
Antibodies, monoclonal, 39, 47, 181
Antigens:
 BoLA, 69, 141, 153
 cattle, 333
 chicken, 401
 goat, erythrocyte, 303, 329
 SLA, 1, 59

Blood complement, 83
Blood group:
 cattle, 95, 333, 361, 427, 431
 chicken, 39, 47, 401
 goat, 233, 303, 329
 sheep, 87
Blood, proteins, 285, 361
Body weight, chickens, 247
BoLA:
 BoT4⁺ blast cells, 141
 hybridoma, 153
 nucleotide sequence, 353
Buffalo:
 albumin polymorphism, 335
 erythrocyte polymorphism, 199

Carbonic anhydrase, variants, 191
Casein locus:
 cattle, 107, 215
 goat, 401
Catalase, variants, horse, 191
Cattle:
 amylase polymorphism, 277
 BoLA, 141, 153, 353
 C-system, 333
 casein locus, 107, 215
 complement factor H, 123
 hybridoma, 153
 linkage, blood group, 95, 427, 431
 lymphocyte antigens, 77
 lysozyme gene, 259
 MHC and disease, 221
 MHC mimic, 323
 monoclonal antibodies, 181
 T cell responses, 15
 Y chromosome, 77

Chicken:
 DNA fingerprinting, 247
 lymphocytes, 401
 monoclonal antibodies, 39, 47
Cloning, SLA, 1
Coat, colour, dogs, 149
Complement:
 C3, 83
 factor H, 123
Control, gene, 15, 391
Cytotoxic, T cell, 323

Deer:
 serum proteins, 285
 superoxide dismutase, polymorphism, 391
Differentiation, genetic, 391
Disease, resistance and MHC, 221
Dismutase, superoxide, 391
DNA:
 fingerprinting, 29, 247, 377
 male specific, 77
 mitochondrial, 313
 VNTR markers, 29
Dog, coat colour and plasma esterase, 149

Electrophoresis:
 affinity, 277
 protease inhibitors, pig, 267
 serum protein, red deer, 285
 single gel, 191
 starch gel, 217
 transferrin, 419
Erythrocyte:
 antigen, 39, 47, 303, 401
 carbonic anhydrase, 191
 cation content polymorphism, 199

Fish:
 adenosine deaminase, polymorphism, 211
 DNA fingerprints, 377
 mitochondrial DNA, 313
 transferrins, 295, 419

- Gene:
 control, Ir, 15
 frequency, pig amylase polymorphism, 277
 globin, marker, 339
 nucleotide phosphorylase, 207
- Genetic:
 control, 391
 differentiation, 391
 distance, 87
 markers, 93
 systems, goat, 233
- Goat:
 casein, 341
 hybridoma, mouse, 171
 red cell blood groups, 233, 303
- Growth:
 bull breeding values, 361
 transforming, factor-beta, 411
- Haemoglobin:
 beta gene cluster, 329
 sheep anaemia variant, 115
- Haplotype:
 distribution, 59
 novel, 59
- Heteroplasmy, restriction site, fish, 313
- Histocompatibility, SLA, 1
- Homozygosity, SLA, pig, 161
- Horse:
 carbonic anhydrase, 191
 complement C3, 83
 plasma protease inhibitor, 129
 transferrin, silent allele, 423
- Hybridization, *in situ*, pig, 207
- Hybridoma:
 cattle, 153
 goat-mouse, 171
- Hydroxylase, 21-, pig, 1
- Immune response, genes, 15
- Immunoblotting:
 deer, serum proteins, 285
 goat, serum proteins, 317
- Immunoglobulin, cattle, 181
- Immunofluorescence, 47
- Inhibitors:
 deer, serum proteins, 285
 horse, plasma protease, 129
 pig serum protease, 267
- Leucocyte, SLA, 1
- Linkage:
 blood group, cattle, 95, 427, 431
 dog coat colour and plasma esterase, 149
 erythrocyte antigen loci, 329
 protease inhibitors, pig, 267
- Locus:
 MAF18, 433
 transferrin, 423
- Lod score, goat antigen, 329
- Lymphocyte:
 BoLA, 69, 141
 chicken, 401
 goat, 329
 SLA, 59
- Lysozyme, genes, cattle, 259
- Mapping, SLA, 1
- Markers:
 blood group, cattle, 95
 globin gene, 339
- Mastitis, bull breeding values, 221
- Meat, production, pig, 161
- MHC:
 cattle, 69, 141, 153, 221, 323, 353
 goat, 329
 pig, 161
- Minisatellite:
 fish, salmonids, 377
 pig, DNA, 29
- Mitochondria, DNA, fish, 313
- Model, linear, cattle, C-system antigens, 333
- Monoclonal antibodies:
 cattle, 153
 chicken, 39
- Mouflon, GC protein polymorphism, 317
- Nucleoside, phosphorylase, gene locus, 207
- Ontogeny, chicken blood group, 47
- Ovalbumin, T cell responses, 15
- Pancreatic, phospholipase, 93
- Phosphogluconate, dehydrogenase, pig, 411
- Phospholipase, pancreatic, 93
- Phosphorylase, nucleoside, gene locus, 207
- Phylogeny, teleost, transferrins, 295
- Pig:
 amylase polymorphism, 277
 chromosome 6q, 411
 hypervariable loci, 29
 MHC, 161
 nucleoside phosphorylase gene locus, 207
 PPLA2, 93
 protease inhibitors, 267
 SLA, 1, 59
 steroid 21-hydroxylase gene, 1
- Plasma:
 esterase/coat colour linkage, 149
 protease inhibitor, 129
- Polymerase, chain reaction, 215

- Polymorphism:
 - ALAD, rabbit, 217
 - casein locus, 107, 341
 - complement factor H, cattle, 123
 - deer, serum proteins, 285
 - fish, adenosine deaminase, 211
 - goat, 339
 - HK/LK, bovids, 199
 - lysozyme genes, 259
 - MAF18 locus, 433
 - pig, protease inhibitors, 267
 - sheep, blood, 87, serum, 317
 - stable, 171
 - superoxide dismutase, 391
 - teleost transferrins, 295
- Production traits:
 - cattle, 361
 - pig, 161
- Protease inhibitors:
 - deer, 285
 - horse, 129
 - pig, 267
- Protein:
 - GC, 317
 - plasma, 129, 361
 - serum, 285, 317
 - vitamin D binding, 317
- Przewalski's horse, Pi system, 129
- Rabbit, ALAD polymorphism, 217
- Reproduction, traits in pig, 161
- RFLP:
 - casein locus, 107, 341
 - lysozyme genes, cattle, 259
 - PPLA2, 93
 - SLA, 1
- Salmon, DNA fingerprints, 377
- Selection, chicken body weight, 247
- Semaprochilodus* spp., transferrin, 419
- Sequence, nucleotide, BoLA-DIB
- Serology:
 - goat erythrocyte antigens, 303
 - SLA, 59
- Serpin, plasma protease inhibitor, 129
- Serum:
 - deer, proteins, 287
 - pig, protease inhibitors, 267
 - sheep polymorphism, 317
- Sheep:
 - blood polymorphism, 87
 - dinucleotide polymorphism, 433
 - Hb variant, 115
 - serum polymorphism, 317
- Steroid, 21 hydroxylase gene, 1
- Superoxide, dismutase polymorphism, 391
- T cell, responses to ovalbumin, 15
- Teleost, transferrins, 295
- Theileria*, parasite and MHC, 323
- Transferrin:
 - buffalo, 335
 - fish, 419
 - horse, 423
 - red deer, 285
 - teleosts, 295
- Transforming, growth factor-beta, 411
- Trout, DNA fingerprints, 377
- Vitamin D, binding protein, 285, 317
- Wildebeest, erythrocyte cation polymorphism, 199
- Y chromosome, cattle, 77

